Super

戰神 Super 速派 ®

Pandas ™

PROFESSIONAL AIR TOOLS

專業制造氣動打磨工具




KB 東莞市凱保精密機械有限公司
Dongguan Kai Bao Precision Machinery Co., Ltd.

地址:广东省东莞市东城区牛山上山门村厂房
Add: Niushan Shangshanmen Village,Dongcheng District, Dongguan City,Guangdong Province,China.
Tel:+0086-769-23053681 23053689
Fax:+0086-769-23053683
Mobile phone:+8615916902784
E-mail:sales@kaibaotools.com
Http://www.kaibaotool.com
Http://www.kaibaotools.com

企業二維碼

藝鼎設計印刷: 13929468869

KB 東莞市凱保精密機械有限公司
Dongguan Kai Bao Precision Machinery Co., Ltd.

戰神 Super 速派

KB




## 公司概述

東莞市凱保精密機械有限公司成立于2006年，主要生產氣動打磨機，抛光機，刻磨機以及打磨托盤。目前我們公司廠房占地3500平方米，擁有裝配員工56人，開發技術人員8人。同時我們擁有自己的4軸加工設備，CNC車床，CNC磨床，銑床，綫切割機器，3D檢測儀，投影儀，硬度測試儀以及一系列精密測量工具等。

在我們嚴格的ISO管理體系下，我們經驗豐富的員工（都擁有5年以上機加工經驗）能够很好地把產品的質量和精密性做到極致，因此我們的成品機器的質量也得到了很好保障并且運行極其穩定。我們所有的打磨機，刻磨機和托盤都通過了CE測試和SGS認證，在國内享有很好的口碑。

感謝世界各地客户和好友的支持及肯定，我們會不斷創新與改進，在往世界第一的道路上努力奔跑。

**公司宗旨：**

務實、誠信、品質、服務、學習、創新。

**發展觀：**

先專業，再做强，后做大。

**公司警言：**

態度决定一切，細節决定成敗！

## Company

Established in 2006, Dongguan Kai Bao Precision Machinery Co.,Ltd specializes in producing air sander, air grinder and sanding pad. Our factory covers an area of 3,500 square meters and owns 56 assembly employees and 8 R&D technicians. We have our own 4-spindle machining device, CNC lathe, CNC grinding machine, milling machine, wire cutting machine, 3D detecting instrument, projector and hardness testing device etc.

Together with our experienced workers and ISO management system, the quality and precision of our every spare part are guaranteed so that the quality of the whole finished product is guaranteed and stable. All of our air sanders, air grinders and sanding pads have already passed CE test and SGS test and they are quite well received in the world.

Thanks for the support from our dear customers and friends all over the world, we will keep moving forward and innovating to be No.1 in the world.

***Company tenet:***

Be pragmatic in work ; Honor credibility with customers; Produce quality products;
Render great services; Keep learning and promote innovations.

***Company views on development:***

Be professional, be strong and grow big.

***Company aphorism:***

Attitudes define everything; Attention to details is the key of success!

CNC車間



CNC加工車間



評檢設備




二次投影儀





商标注册证

核定使用商品(第7类)

注册人

注册地址

注册有效期限

局长签发



Certificate of Compliance



感谢状

AWARD OF APPRECIATION

Professional Manufacturer of Air Sander
Air Polisher and Backing Pad

# PNEUMATIC AIR ORBITAL SANDERS

- Brand *New* Type
- More Stable
- Lower Vibration



Applicable for surface finish of metal, furniture, alloy, glass fiber, laptop, mobile phone, automobile, plane and vessel etc.


**KB DONGGUAN KAI BAO PRECISION MACHINERY CO., LTD.**

Add: No.A factory Niushan Industrial Park Dongcheng District Dongguan City Guangdong Province China
Tel: +86-769-23053681 / +86-769-23053689 Fax: +86-769-23053683
Email: professionalairtools@yahoo.com kay.kaibao@foxmail.com
Web: http://www.kaibao88.com http://kaibaotools.en.made-in-china.com


# Technical Specifications



Orbit 2.5



Orbit 5.0



Orbit 8.0



| Model Number | Vacuum Style | Tool DIA.(mm) | Orbit DIA.(mm) | Sound Level (dBa) | Weight (Kg) | Speed (RPM) |
|---|---|---|---|---|---|---|
| PS-5500N | Non-Vacuum | 125 | 5.0 | 80 | 0.90 | 12,000 |
| PS-5500D | Self-Vacuum | 125 | 5.0 | 80 | 0.92 | 12,000 |
| PS-5500C | Central-Vacuum | 125 | 5.0 | 80 | 0.92 | 12,000 |
| PS-5800N | Non-Vacuum | 125 | 8.0 | 80 | 0.90 | 12,000 |
| PS-5800D | Self-Vacuum | 125 | 8.0 | 80 | 0.92 | 12,000 |
| PS-5800C | Central-Vacuum | 125 | 8.0 | 80 | 0.92 | 12,000 |
| PS-5250N | Non-Vacuum | 125 | 2.5 | 80 | 0.90 | 12,000 |
| PS-5250D | Self-Vacuum | 125 | 2.5 | 80 | 0.92 | 12,000 |
| PS-5250C | Central-Vacuum | 125 | 2.5 | 80 | 0.92 | 12,000 |
| PS-6500N | Non-Vacuum | 150 | 5.0 | 80 | 0.93 | 10,000 |
| PS-6500D | Self-Vacuum | 150 | 5.0 | 80 | 0.95 | 10,000 |
| PS-6500C | Central-Vacuum | 150 | 5.0 | 80 | 0.95 | 10,000 |
| PS-6800N | Non-Vacuum | 150 | 8.0 | 80 | 0.95 | 10,000 |
| PS-6800D | Self-Vacuum | 150 | 8.0 | 80 | 0.97 | 10,000 |
| PS-6800C | Central-Vacuum | 150 | 8.0 | 80 | 0.97 | 10,000 |
| PS-6250N | Non-Vacuum | 150 | 2.5 | 80 | 0.93 | 10,000 |
| PS-6250D | Self-Vacuum | 150 | 2.5 | 80 | 0.95 | 10,000 |
| PS-6250C | Central-Vacuum | 150 | 2.5 | 80 | 0.95 | 10,000 |
| PS-3500N | Non-Vacuum | 75 | 5.0 | 80 | 0.83 | 12,000 |
| PS-3500D | Self-Vacuum | 75 | 5.0 | 80 | 0.85 | 12,000 |
| PS-3500C | Central-Vacuum | 75 | 5.0 | 80 | 0.85 | 12,000 |
| PS-3250N | Non-Vacuum | 75 | 2.5 | 80 | 0.83 | 12,000 |
| PS-3250D | Self-Vacuum | 75 | 2.5 | 80 | 0.85 | 12,000 |
| PS-3250C | Central-Vacuum | 75 | 2.5 | 80 | 0.85 | 12,000 |
| PS-70198N | Non-Vacuum | 70*198 | 3.0 | 80 | 1.08 | 10,000 |
| PS-70198D | Self-Vacuum | 70*198 | 3.0 | 80 | 1.10 | 10,000 |
| PS-70198C | Central-Vacuum | 70*198 | 3.0 | 80 | 1.10 | 10,000 |

Pandas

Professional Manufacturer of Air Sander
Air Grinder,Air Polisher and Backing Pad

# ⚡超大切削力打磨機
## SUPER-HIGH POWER AIR SANDERS



- ★ 是高產量工業使用的理想選擇
  Best Choice for Industrial Sanding
- ★ 提高工作效率30%以上
  Over 30% Higher Efficiency
- ★ 降低人力成本
  Save Labor Cost
- ★ 節省能耗
  Save Energy&Production Cost





## 應用領域 Application

- 汽車、火車、船舶、電動車鈑金，鈑金原子灰研磨修面，羽狀邊研磨
- 木工家具、木門、實木櫥櫃等研磨
- 大型機械、鋁鑄造件、汽車輪廓五金鑄件的研磨

Auto,train,vessel,aircraft etc.
Wooden products like furniture
Machinery,aluminium product,car wheel etc..

## 特點 Features

- 高强度機身，更耐用
- 人體工學設計，手感更舒適
- 低震動，超强切削能力
- 獨特進氣系統，低氣壓氣動，動力更强

Stronger Sander Housing and More Durable
Ergonomic Design.Comfortable to Use
Low Vibration and Super High Power
Special Air Inlet System,Low Air Pressure Driven,
Higher Speed

# EFFICIENCY-KING SERIES



PS-0023N



PS-0024N



PS-0025N



PS-0025C



PS-0025D



PS-0026N



PS-0026C



PS-0026D


| 機 型 Model No. | PS-0023N | PS-0024N | PS-0025N | PS-0025C | PS-0025D | PS-0026N | PS-0026C | PS-0026D |
|---|---|---|---|---|---|---|---|---|
| 托盤規格 Pad Size | 75mm | 100mm | 125mm | 125mm | 125mm | 150mm | 150mm | 150mm |
| 重量 Weight | 770g | 790g | 830g | 880g | 890g | 880g | 930g | 940g |
| 耗氣量 Air Consumption | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa |
| 功率 Power | 320W | 320W | 320W | 320W | 320W | 320W | 320W | 320W |
| 轉速RPM Free Speed | 14000RPM | 14000RPM | 14000RPM | 14000RPM | 14000RPM | 14000RPM | 14000RPM | 14000RPM |
| 偏心距 Orbit | 5mm | 5mm | 5mm | 5mm | 5mm | 5mm | 5mm | 5mm |

Pandas

專業制造**自動化**打磨頭
*Professional Manufacturer of Automatic Sander*

**Professional Manufacturer of Air Sander**
**Air Grinder,Air Polisher and Backing Pad**

# 中心注水機專利產品
# Central Water-Injection Sander





專利號：201821986967.1













傳統打磨工具
**by normal sander**

耗材中心
廢屑堆積
Accumulation of Dust in the Center of Abrasives

耗材壽命短，
頻繁換耗材
Short Life of Abrasives

**生產成本高**
- 頻繁更換耗材浪費工時；
- 耗材用量大；
- 生產良率低；
- 大大浪費研磨液或水。

Production Cost Getting Higher



中心注水打磨工具
**by center water-injection sander**

耗材中心
部位幹净
Clean Abrasives

耗材壽命長，
減少更換耗
材次數
Longer Life of Abrasives

**降低生產成本，提高效率**
Production Cost Getting Lower. Efficiency Improved
- 减少更換耗材次數；
- 耗材壽命延長；
- 生產良率大大提高；
- 大量節省研磨液或水。


**產品背面圖**
**Back**





**正面底部圖**
**Bottom**




**頂部圖**
**Top**




**安裝尺寸示意圖**
**Installation Instructions**






| 機 型 Model No. | ZD-5500W | ZD-4500W | ZD-3500W | ZD-75100W |
|---|---|---|---|---|
| 托盤規格 Pad Size | 125mm | 100mm | 75mm | 75x100mm |
| 重量 Weight | 1150g | 1130g | 1120g | 1000g |
| 耗氣量 Air Consumption | 340 l/min | 340 l/min | 340 l/min | 340 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 80dBa | 80dBa | 80dBa | 80dBa |
| 功率 Power | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 12000rpm | 12000rpm | 12000rpm | 10000rpm |
| 偏心距 Orbit | 5mm | 5mm | 5mm | 3mm |

Pandas

專業制造**自動化**打磨頭

*Professional Manufacturer of Automatic Sander*

# 自動化高端定制打磨工具ODM

**Professional Automatic Sander(Customization Available)**




**專利號Patent Number:**
**ZL 201520302982.X**




## ★ 專利產品 patented product



■ 功率大,抗壓强度高,使用壽命更長
Higher Power ,Stronger ,More Durable

■ 鋁合金外殼，機械手、五軸設備專用打磨頭
Aluminium-Alloy Housing. Special Sander for 5-Spindle Machining Device and Mechanical Arm

**Professional Manufacturer of Air Sander**
**Air Grinder,Air Polisher and Backing Pad**



ZD-4350



ZD-4375



ZD-4250



ZD-4275



ZD-5500ZB



ZD-4500ZB



ZD-3500ZB



ZD-75100ZB

| 機 型 Model No. | ZD-4350 | ZD-4375 | ZD-4250 | ZD-4275 | ZD-5500ZB | ZD-4500ZB | ZD-3500ZB | ZD-75100ZB |
|---|---|---|---|---|---|---|---|---|
| 托盤規格 Pad Size | 50mm | 75mm | 50mm | 75mm | 125mm | 100mm | 75mm | 75x100mm |
| 重量 Weight | 700g | 700g | 700g | 700g | 1100g | 1100g | 1100g | 1100g |
| 耗氣量 Air Consumption | 350 l/min | 350 l/min | 350 l/min | 350 l/min | 350 l/min | 350 l/min | 350 l/min | 350 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ |
| 噪音等級 Sound Level | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速 Free Speed | 2500rpm | 2500rpm | 15000rpm | 15000rpm | 12000rpm | 12000rpm | 12000rpm | 10000rpm |
| 偏心距 Orbit | 同心 Concentric Rotation | 同心 Concentric Rotation | 3mm | 3mm | 5mm | 5mm | 5mm | 3mm |

Professional Manufacturer of Air Sander
Air Grinder,Air Polisher and Backing Pad

## 角磨機
## Air Angle Grinder



PS-2C-1



PS-3C-1



PS-3C-2



PS-4CH-1



PS-4CH-2

## 刻磨機
## Air Die Grinder



PS-13-2



PS-380



PS-26-20



PS-26-20L



PS-3H



PS-4H

| 機 型 Model No. | PS-2C-1 | PS-3C-1 | PS-3C-2 | PS-4CH-1 | PS-4CH-2 |
|---|---|---|---|---|---|
| 磨盤規格 Disc Size | 50mm | 75mm | 100mm | 100mm | 125mm |
| 重量 Weight | 650g | 660g | 1100g | 1800g | 1800g |
| 耗氣量 Air Consumption | 456 l/min | 456 l/min | 670 l/min | 920 l/min | 920 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 7.0kg/cm$^2$ | 7.0kg/cm$^2$ |
| 噪音等級 Sound Level | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa |
| 功率 Power | 340W | 340W | 340W | 550W | 550W |
| 轉速RPM Free Speed | 15000rpm | 15000rpm | 13500rpm | 13500rpm | 13500rpm |
| 長度 Length | 155mm | 155mm | 180mm | 215mm | 215mm |
| 高度 Height | 47mm | 47mm | 63mm | 77mm | 77mm |

| 機 型 Model No. | PS-13-2 | PS-380 | PS-26-20 | PS-26-20L | PS-3H | PS-4H |
|---|---|---|---|---|---|---|
| 夾頭規格 Chuck Size | 3mm | 6mm | 6mm | 6mm | 6mm | 125mm |
| 重量 Weight | 440g | 500g | 660g | 900g | 1380g | 2100g |
| 耗氣量 Air Consumption | 450 l/min | 450 l/min | 450 l/min | 450 l/min | 550 l/min | 1330 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 7.0kg/cm$^2$ | 7.0kg/cm$^2$ | 7.0kg/cm$^2$ |
| 噪音等級 Sound Level | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa |
| 功率 Power | 140W | 240W | 240W | 240W | 520W | 690W |
| 轉速RPM Free Speed | 30000rpm | 22000rpm | 24000rpm | 24000rpm | 14600rpm | 9500rpm |
| 長度 Length | 150mm | 155mm | 170mm | 300mm | 345mm | 385mm |

戰神 Super 速派 ®

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。
選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。
Solid supporting structu re， high-performance motor set&d riving system and Ergonomic design make our sanders work more strongly and stably with low noise·


## KB0025






## KB0026






## KB0025C






## KB0026C






## KB0025D






## KB0026D






| 機 型 Model No. | KB0025 | KB0025C | KB0025D | KB0026 | KB0026C | KB0026D |
|---|---|---|---|---|---|---|
| 規格 Size | 125mm | 125mm | 125mm | 150mm | 150mm | 150mm |
| 重量 Weight | 690g | 700g | 1300g | 690g | 700g | 1300g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm |
| 偏心距 Orbit | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm |
| 托盤 Pad Size | 5",5/16" | 5",5/16" | 5",5/16" | 6",5/16" | 6",5/16" | 6",5/16" |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |



## KB2430






## KB2450






## KB2430C






## KB2450C







## KB2430D






## KB2450D






| 機 型 Model No. | KB2430 | KB2430C | KB2430D | KB2450 | KB2450C | KB2450D |
|---|---|---|---|---|---|---|
| 規格 Size | 75x100mm | 75x100mm | 75x100mm | 90x180mm | 90x180mm | 90x180mm |
| 重量 Weight | 690g | 690g | 690g | 960g | 960g | 960g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm |
| 偏心距 Orbit | 3mm | 3mm | 3mm | 3mm | 3mm | 3mm |
| 托盤 Pad Size | 75x100 | 75x100 | 75x100 | 90x180 | 90x180 | 90x180 |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |

戰神 Super 速派 ®

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。
選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。
Solid supporting structu re， high-performance motor set&d riving system and Ergonomic design make our sanders work more strongly and stably with low noise.

## KB0023



## KB0024



## KB0023C




## KB0023D



## SA0025




## SA0026




## SA0025C




## SA0026C




## SA0025D




## SA0026D




| 機型 Model No. | KB0023 | KB0023C | KB0023D | KB0024 |
|---|---|---|---|---|
| 規格 Size | 75mm | 75mm | 75mm | 100mm |
| 重量 Weight | 600g | 600g | 600g | 690g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 12000rpm | 12000rpm | 12000rpm | 12000rpm |
| 偏心距 Orbit | 2.5,5mm | 2.5,5mm | 2.5,5mm | 5mm |
| 托盤 Pad Size | 3",1/4" | 3",1/4" | 3",1/4" | 4",5/16" |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央吸塵 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum |

| 機型 Model No. | SA0025 | SA0025C | SA0025D | SA0026 | SA0026C | SA0026D |
|---|---|---|---|---|---|---|
| 規格 Size | 125mm | 125mm | 125mm | 150mm | 150mm | 150mm |
| 重量 Weight | 790g | 800g | 1400g | 800g | 810g | 1410g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm |
| 偏心距 Orbit | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm |
| 托盤 Pad Size | 5",5/16" | 5",5/16" | 6",5/16" | 6",5/16" | 6",5/16" | 6",5/16" |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |

戰神 Super 速派 ®

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。
選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。
Solid supporting structu re， high-performance motor set&d riving system and Ergonomic design make our sanders work more strongly and stably with low noise.

## ROS550NV










## ROS650NV









## ROS550CV









## ROS650CV









## ROS550DV









## ROS650DV









| 機 型 Model No. | ROS550NV | ROS550CV | ROS550DV | ROS650NV | ROS650CV | ROS650DV |
|---|---|---|---|---|---|---|
| 規格 Size | 125mm | 125mm | 125mm | 150mm | 150mm | 150mm |
| 重量 Weight | 690g | 700g | 1300g | 690g | 700g | 1300g |
| 耗氣量 Air Consumption | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 12000rpm | 12000rpm | 12000rpm | 10000rpm | 10000rpm | 10000rpm |
| 偏心距 Orbit | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm |
| 托盤 Pad Size | 5",5/16" | 5",5/16" | 5",5/16" | 6",5/16" | 6",5/16" | 6",5/16" |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |

## ROS405CV



## ROS405DV



## ROS350NV



## ROS350CV



## ROS350DV



## ROS343NV



## ROS343CV



## ROS343DV



| 機 型 Model No. | ROS405CV | ROS405DV | ROS350NV | ROS350CV | ROS350DV | ROS343NV | ROS343CV | ROS343DV |
|---|---|---|---|---|---|---|---|---|
| 托盤規格 Pad Size | 三角90x130mm | 三角90x130mm | 75mm | 75mm | 75mm | 75x100mm | 75x100mm | 75x100mm |
| 重量 Weight | 690g | 690g | 600g | 600g | 600g | 690g | 690g | 690g |
| 耗氣量 Air Consumption | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 10000rpm | 10000rpm | 12000rpm | 12000rpm | 12000rpm | 10000rpm | 10000rpm | 10000rpm |
| 偏心距 Orbit | 3mm | 3mm | 2.5,5mm | 2.5,5mm | 2.5,5mm | 3mm | 3mm | 3mm |
| 除塵系統 Vacuum Style | 中央吸塵 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央吸塵 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |

戰神 Super 速派 ®

## ROS383NV



## ROS373NV




## ROS383CV




## ROS373CV




## ROS383DV




## ROS373DV




| 機 型 Model No. | ROS383NV | ROS383CV | ROS383DV | ROS373NV | ROS373CV | ROS373DV |
|---|---|---|---|---|---|---|
| 托盤規格 Pad Size | 70x198mm | 70x198mm | 70x198mm | 90x180mm | 90x180mm | 90x180mm |
| 重量 Weight | 960g | 960g | 960g | 960g | 960g | 960g |
| 耗氣量 Air Consumption | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min | 340 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ |
| 噪音等級 Sound Level | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa | 80dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm |
| 偏心距 Orbit | 3mm | 3mm | 3mm | 3mm | 3mm | 3mm |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.

| 機 型 Model No. | SB0023-R | SB0024-R | SB0025-R | SB0025C-R | SB0025D-R | SB0026-R | SB0026C-R | SB0026D-R |
|---|---|---|---|---|---|---|---|---|
| 規格 Size | 75mm | 100mm | 125mm | 125mm | 125mm | 150mm | 150mm | 150mm |
| 重量 Weight | 600g | 690g | 690g | 700g | 1300g | 690g | 700g | 1300g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm |
| 偏心距 Orbit | 2.5,5mm | 5mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm |
| 托盤 Pad Size | 3",1/4" | 4",5/16" | 5",5/16" | 5",5/16" | 5",5/16" | 6",5/16" | 6",5/16" | 6",5/16" |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 不吸塵 Non-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |



SB0023-R



SB0024-R



SB0025-R



SB0025C-R



SB0025D-R



SB0026-R



SB0026C-R



SB0026D-R







Http://www.KaiBao88.com

Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!

| 機 型 Model No. | SB2430-R | SB2430C-R | SB2430D-R | SB2450-R | SB2450C-R | SB2450D-R |
|---|---|---|---|---|---|---|
| 規格 Size | 75x100mm | 75x100mm | 75x100mm | 90x180mm | 90x180mm | 90x180mm |
| 重量 Weight | 690g | 690g | 690g | 960g | 960g | 960g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm |
| 偏心距 Orbit | 3mm | 3mm | 3mm | 3mm | 3mm | 3mm |
| 托盤 Pad Size | 75x100 | 75x100 | 75x100 | 90x180 | 90x180 | 90x180 |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |



SB2430-R



SB2430C-R



SB2430D-R



SB2450-R



SB2450C-R



SB2450D-R



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.

| 機型 Model No. | SB0023-B | SB0024-B | SB0025-B | SB0025C-B | SB0025D-B | SB0026-B | SB0026C-B | SB0026D-B |
|---|---|---|---|---|---|---|---|---|
| 規格 Size | 75mm | 100mm | 125mm | 125mm | 125mm | 150mm | 150mm | 150mm |
| 重量 Weight | 600g | 690g | 690g | 700g | 1300g | 690g | 700g | 1300g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm |
| 偏心距 Orbit | 2.5,5mm | 5mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm | 2.5,5,8mm |
| 托盤 Pad Size | 3",1/4" | 4",5/16" | 5",5/16" | 5",5/16" | 5",5/16" | 6",5/16" | 6",5/16" | 6",5/16" |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 不吸塵 Non-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |



SB0023-B



SB0024-B



SB0025-B



SB0025C-B



SB0025D-B



SB0026-B



SB0026C-B



SB0026D-B







Http://www.KaiBao88.com

Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!

| 機型 Model No. | SB2430-B | SB2430C-B | SB2430D-B | SB2450-B | SB2450C-B | SB2450D-B |
|---|---|---|---|---|---|---|
| 規格 Size | 75x100mm | 75x100mm | 75x100mm | 90x180mm | 90x180mm | 90x180mm |
| 重量 Weight | 690g | 690g | 690g | 960g | 960g | 960g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm |
| 偏心距 Orbit | 3mm | 3mm | 3mm | 3mm | 3mm | 3mm |
| 托盤 Pad Size | 75x100 | 75x100 | 75x100 | 90x180 | 90x180 | 90x180 |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |



SB2430-B



SB2430C-B



SB2430D-B



SB2450-B



SB2450C-B



SB2450D-B



Http://www.KaiBao88.com

**Super 打磨工具采用先进的支撑結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。**

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.

| 機型 Model No. | SA0035 | SA0035C | SA0035D | SA0036 | SA0036C | SA0036D |
|---|---|---|---|---|---|---|
| 規格 Size | 125mm | 125mm | 125mm | 150mm | 150mm | 150mm |
| 重量 Weight | 790g | 800g | 1400g | 800g | 810g | 1410g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm | 12000rpm |
| 偏心距 Orbit | 2.5,5mm | 2.5,5mm | 2.5,5mm | 2.5,5mm | 2.5,5mm | 2.5,5mm |
| 托盤 Pad Size | 5",5/16" | 5",5/16" | 6",5/16" | 6",5/16" | 6",5/16" | 6",5/16" |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |



SA0035　SA0035C　SA0035D



SA0036　SA0036C　SA0036D







Http://www.KaiBao88.com

**Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。**

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!

| 機型 Model No. | SA0045 | SA0045C | SA0045D | SA0046 | SA0046C | SA0046D |
|---|---|---|---|---|---|---|
| 規格 Size | 125mm | 125mm | 125mm | 150mm | 150mm | 150mm |
| 重量 Weight | 790g | 800g | 1400g | 800g | 810g | 1410g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm |
| 偏心距 Orbit | 2.5,5mm | 2.5,5mm | 2.5,5mm | 2.5,5mm | 2.5,5mm | 2.5,5mm |
| 托盤 Pad Size | 5",5/16" | 5",5/16" | 6",5/16" | 6",5/16" | 6",5/16" | 6",5/16" |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |



SA0045　SA0045C　SA0045D



SA0046　SA0046C　SA0046D



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撑結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.

| 機型 Model No. | SB0035 | SB0035C | SB0035D | SB0036 | SB0036C | SB0036D |
|---|---|---|---|---|---|---|
| 規格 Size | 125mm | 125mm | 125mm | 150mm | 150mm | 150mm |
| 重量 Weight | 790g | 800g | 1400g | 800g | 810g | 1410g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm |
| 偏心距 Orbit | 2.5/5mm | 2.5/5mm | 2.5/5mm | 2.5/5mm | 2.5/5mm | 2.5/5mm |
| 托盤 Pad Size | 5",5/16" | 5",5/16" | 6",5/16" | 6",5/16" | 6",5/16" | 6",5/16" |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |



SB0035　SB0035C　SB0035D



SB0036　SB0036C　SB0036D







Http://www.KaiBao88.com

Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!

| 機型 Model No. | SB0045 | SB0045C | SB0045D | SB0046 | SB0046C | SB0046D |
|---|---|---|---|---|---|---|
| 規格 Size | 125mm | 125mm | 125mm | 150mm | 150mm | 150mm |
| 重量 Weight | 790g | 800g | 1400g | 800g | 810g | 1410g |
| 耗氣量 Air Consumption | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 Working Pressure | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² | 6.0kg/cm² |
| 噪音等級 Sound Level | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa | 60dBa |
| 功率 Power | 240W | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM Free Speed | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm |
| 偏心距 Orbit | 5mm | 5mm | 5mm | 5mm | 5mm | 5mm |
| 托盤 Pad Size | 5",5/16" | 5",5/16" | 6",5/16" | 6",5/16" | 6",5/16" | 6",5/16" |
| 除塵系統 Vacuum Style | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum | 不吸塵 Non-Vacuum | 中央集塵式 Central-Vacuum-Ready | 自吸塵 Self-Generated-Vacuum |



SB0045　SB0045C　SB0045D



SB0046　SB0046C　SB0046D

Super
气 · 动 · 工 · 具 · 系 · 列



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.



**KB-301**
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-301D**
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-311**
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-311D**
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-313**
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-313D**
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-303**
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-303D**
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-374**
轉速Free Speed：10000RPM
重量Weight：0.91Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：73x140mm
另有AnotherPad:73x98mm
5寸Inch(123mm)



**KB-374D**
轉速Free Speed：10000RPM
重量Weight：0.91Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：73x140mm
另有AnotherPad:73x98mm
5寸Inch(123mm)



**KB-813**
轉速Free Speed：10000RPM
重量Weight：0.8Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：75x100mm



**KB-814**
轉速Free Speed：10000RPM
重量Weight：0.81Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：100x110mm



**KB-815(三角形triangle)**
轉速Free Speed：10000RPM
重量Weight：0.8Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：70x100mm



**KB-816(三角形triangle)**
轉速Free Speed：10000RPM
重量Weight：0.81Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：90x130mm



Super
气 · 动 · 工 · 具 · 系 · 列



Http://www.KaiBao88.com

Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!



**KB-321**
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-321D**
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-323**
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-323D**
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



**KB-823**
轉速Free Speed：10000RPM
重量Weight：0.8Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：75x100mm



**KB-824**
轉速Free Speed：10000RPM
重量Weight：0.81Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：100x110mm



**KB-825(三角形triangle)**
轉速Free Speed：10000RPM
重量Weight：0.8Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：70x100mm



**KB-826(三角形triangle)**
轉速Free Speed：10000RPM
重量Weight：0.81Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：90x130mm

## 抛光機（橙色系列）
Polishing machine (orange series)




**922抛光機polisher**
轉速Free Speed：15000RPM
重量Weight：0.81Kg
同心concentric
底盤規格Pad Size：2"/3"



**923抛光機(齒輪式)Polishing machine (gear)**
轉速Free Speed：2500RPM
重量Weight：0.81Kg
同心concentric
底盤規格Pad Size：2"/3"




**924抛光機(同心)polisher(concentric)**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
同心concentric
底盤規格Pad Size：2"/3"




**925抛光機(同心)polisher(concentric)**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
同心concentric
底盤規格Pad Size：2"/3"




**926抛光機(同心)polisher(concentric)**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
同心concentric
底盤規格Pad Size：2"/3"





Super 打磨工具采用先進的支撑結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.

## 抛光機（紅色系列）
Polishing machine (red series)



**KB-942**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：3mm
底盤規格Pad Size：2",3"(M6)




**KB-943**
轉速Free Speed：2500RPM
重量Weight：0.8Kg
偏擺Orbit：同心齒輪式Concentric gear
底盤規格Pad Size：2",3"(M8)




**KB-946**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：3mm
橡膠盤Pad Size：2",3"(1/4牙tooth)



**KB-843**
轉速Free Speed：15000RPM
重量Weight：0.83Kg
偏擺Orbit：擺動式Swing
底盤規格：三角（大小孔）
Pad Size:Triangle (pore size)



**KB-840**
轉速Free Speed：15000RPM
重量Weight：0.83Kg
偏擺Orbit：擺動式Swing
底盤規格Pad Size：异形Profiled



**KB-F30**
轉速Free Speed：15000RPM
重量Weight：0.83Kg
偏擺Orbit：擺動式Swing
底盤規格Pad Size：异形Profiled




**KB-944**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：同心concentric
底盤規格Pad Size：2",3"(1/4牙tooth)
杆長：35mm




**KB-945**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：同心concentric
底盤規格Pad Size：2",3"(1/4牙tooth)
杆長Rod length：50mm




**KB-3125**
轉速Free Speed：7500RPM
重量Weight：0.4Kg
偏擺Orbit：3mm（振動式Swing）
底盤規格Pad Size：30mm




**KB-7403**
轉速Free Speed：3500RPM
重量Weight：0.88Kg
偏擺Orbit：同心齒輪式Concentric gear
底盤規格Pad Size：3"(1/4牙tooth)



**KB-AF-5 氣動鋸/銼Pneumatic saw / file**
往復速度Free Speed：3400spm
夾頭尺寸Chuck Size：5mm
重量Weight：0.75Kg
行程stroke：5mm



**KB-AF-10**
往復速度Free Speed：4800spm
夾頭尺寸Chuck Size：5mm
重量Weight：0.93Kg
行程stroke：10mm

7403的









Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!



**KB-204**
轉速Free Speed：8000RPM
重量Weight：2.1Kg
偏擺Orbit：5mm
底盤規格Pad Size：93x176mm



**KB-204D**
轉速Free Speed：8000RPM
重量Weight：2.1Kg
偏擺Orbit：5mm
底盤規格Pad Size：93x176mm



**KB-205**
轉速Free Speed：7000RPM
重量Weight：2.2Kg
偏擺Orbit：5mm
底盤規格Pad Size：112x220mm



**KB-205D**
轉速Free Speed：7000RPM
重量Weight：2.2Kg
偏擺Orbit：5mm
底盤規格Pad Size：112x220mm



**KB-0502**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：3mm
底盤規格Pad Size：2",3"(M6)



**KB-0503**
轉速Free Speed：2500RPM
重量Weight：0.8Kg
偏擺Orbit：同心齒輪式Concentric gear
底盤規格Pad Size：2",3"(M8)



**KB-0504**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：同心
底盤規格Pad Size：2",3"(1/4牙tooth)
杆長Rod length：35mm



**KB-0505**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：同心concentric
底盤規格Pad Size：2",3"(1/4牙tooth)
杆長Rod length：50mm



**KB-0506**
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：3mm
橡膠盤Pad Size：2",3"(1/4牙tooth)



**KB-2130**
轉速Free Speed：12000RPM
重量Weight：0.6Kg
偏擺Orbit：3/5mm
底盤規格Pad Size：3"(1/4牙tooth)



**KB-2430**
轉速Free Speed：10000RPM
重量Weight：0.7Kg
偏擺Orbit：3mm
底盤規格Pad Size：75X100mm



**KB-2430D/2430C**
轉速Free Speed：10000RPM
重量Weight：0.71Kg
偏擺Orbit：3mm
底盤規格Pad Size：75X100mm



**KB-2450**
轉速Free Speed：10000RPM
重量Weight：0.96Kg
偏擺Orbit：3mm
底盤規格Pad Size：90X180mm



**KB-2450D/2450C**
轉速Free Speed：10000RPM
重量Weight：0.96Kg
偏擺Orbit：3mm
底盤規格Pad Size：90X180mm

Super
氣 · 動 · 工 · 具 · 系 · 列




# 砂紙機制造

Http://www.hs-tools.net

月產能10000臺，品質穩定。遠銷歐美亞太地區。
歡迎**ODM&OEM**（可自由組合配件）。

| 機　型 | SA0035 | SA0036 | SB0035 | SB0045 | RC0025 |
|---|---|---|---|---|---|
| 規格 | 125mm | 150mm | 125mm | 125mm | 125mm |
| 重量 | 820g | 820g | 790g | 790g | 820g |
| 耗氣量 | 480 l/min | 480 l/min | 480 l/min | 480 l/min | 480 l/min |
| 工作壓力 | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ | 6.0kg/cm$^2$ |
| 噪音等級 | 79dBa | 79dBa | 79dBa | 79dBa | 79dBa |
| 功率 | 240W | 240W | 240W | 240W | 240W |
| 轉速RPM | 10000rpm | 10000rpm | 10000rpm | 10000rpm | 10000rpm |
| 偏心距 | 5mm | 6mm | 5mm | 5mm | 5mm |
| 托盤 | 5"，5/16" | 6"，5/16" | 5"，5/16" | 5"，5/16" | 5"，5/16" |
| 除塵系統 | 不吸塵 | 不吸塵 | 不吸塵 | 不吸塵 | 不吸塵 |



SA0035　SA0036　SB0035　SB0045　RC0025(鐵轉子)



高級吸套件　普通吸套件　自吸塵連接配件　中央集塵連接配件





Super
氣 · 動 · 工 · 具 · 系 · 列



# 底盤制造

Http://www.hs-tools.net

月產能10萬片，發泡硬度從15-60度之間，平穩性好，
五金結構牢固，品質已達國際水平，歡迎**ODM&OEM**。




2"，5/16"　2"，M6　2"，M6内牙　3"，5/16"　3"，M6　3"，5/16"　3"，M6

5"，5/16"　5"，5/16" 5孔　5"，5/16" H15　5"，5/16"　6"，5/16"　6"，5/16" 6孔

2"，M6　2"，M6 3孔　3"，5/16"　4"，5/16"　5"，5/16" H15　5 "，5/16" H15 5孔　5"，5/16"

5"，5/16" 6孔　5"，5/16" 5孔　6"，5/16" 6孔　6"，5/16"　5"，5/16" 多孔　6"，5/16" 多孔

2"，5/16"　3"，5/16"　3"，M6　4"，5/16"　5"，5/16" 6孔　5"，5/16"　6"，5/16" 6孔

75X100mm　90X180mm (8孔)　90X180mm

100X110mm



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.










Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.



M0026C



3M0026C



3M0023C




M0023



G0026C












Gold Sand Paper




Film-Backing Sand Paper



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.



**Air Impact Wrench Series**



**KB-Y15000**

**Air Sander**




**KB-Y2100**

**Roloc Air Grinder**






**150mm (6in) Sanding Backup Pad with Universal Adapters**



**Wool Buffing Pad**



**Soft Buffing Pad**



**Backing Pad**



**Roloc Rubber Pad**



**Erasing Wheel**







Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.



**HS-1033**
**10x330mm**



**HS-2052**
**20x520mm**



**HS-3054**
**30x540mm**



**Air Line Sander**



**Air Belt Sander**



**7in Air Polisher**



**Air Pull Setter**




**Air Pencil Grinder**



**Air Lapping Tool**



**Torque Shut-Off Air Screwdriver**



**Air Angle Grinder**



**Hydraulic Air Riveter**






**VACUUM STYLE**

Hand Sanding Block

With Holes




## De-Nebbing Blocks



| Item No. | Diameter | Velcro | PSA | Density | Remark |
|---|---|---|---|---|---|
| 71112 | 30mm | √ | √ | Hard | |



| Item No. | Diameter | Velcro | PSA | Density | Remark |
|---|---|---|---|---|---|
| 71115-1 | 24mm | | √ | Medium | |
| 71116-1 | 30mm | | √ | Medium | |
| 71117-1 | 34mm | | √ | Medium | |

## Round Disc Hand Pads



| Item No. | Diameter | Velcro | PSA | Density | Remark |
|---|---|---|---|---|---|
| 71130-1 | 3" (72.5mm) | | √ | Medium | no center hole, slight bigger size |
| 71130-2 | 3" (72.5mm) | √ | | Medium | no center hole, slight bigger size |
| 71131-1 | 3" (72.5mm) | | √ | Soft | with center hole for water storage |
| 71131-2 | 3" (72.5mm) | √ | | Soft | with center hole for water storage |



| Item No. | Diameter | Velcro | PSA | Density | Remark |
|---|---|---|---|---|---|
| 71132A-1 | 3" (72.5mm) | | √ | Soft | no center hole |
| 71132A-2 | 3" (72.5mm) | √ | | Soft | no center hole |
| 71132-1 | 3" (72.5mm) | | √ | Soft | with center hole for water storage |
| 71132-2 | 3" (72.5mm) | √ | | Soft | with center hole for water storage |



| Item No. | Diameter | Velcro | PSA | Density | Remark |
|---|---|---|---|---|---|
| 71135 | 3.5" (90mm) | √ | | Medium | |
| 71150 | 5" (123mm) | √ | | Medium | |



| Item No. | Disc Size | Velcro | PSA | Density | Remark |
|---|---|---|---|---|---|
| 71450-1 | 5"(125mm) | | √ | Medium | |
| 71450-2 | 5"(125mm) | √ | | Medium | |
| 71460-1 | 6"(150mm) | | √ | Medium | |
| 71460-2 | 6"(150mm) | √ | | Medium | |




| Item No. | Disc Size | Velcro | PSA | Density | Remark |
|---|---|---|---|---|---|
| 71001 | 5" (125mm) | √ | | Medium | |
| 71002 | 6" (150mm) | √ | | Medium | |



| Item No. | Size | Velcro | PSA | Density | Remark |
|---|---|---|---|---|---|
| 71235 | 66x140 mm | √ | | Medium | |



| Item No. | Size | Velcro | PSA | Density | Remark |
|---|---|---|---|---|---|
| 71544-1 | 66 x 122 mm | | √ | Medium | |
| 71544-2 | 66 x 122 mm | √ | | Medium | |
| 71545-1 | 70 x 198 mm | | √ | Medium | With Reinforced flat base |
| 71545-2 | 70 x 198 mm | √ | | Medium | With Reinforced flat base |



| Item No. | Size | Velcro | PSA | Density | Remark |
|---|---|---|---|---|---|
| 71335-1 | 66 x 122 mm | | √ | Medium | |
| 71335-2 | 66 x 122 mm | √ | | Medium | |
| 71335S-2 | 66 x 122 mm | √ | | Soft | |

Hand File for flat face sanding



| Item No. | Size | Velcro | PSA | Flexibility |
|---|---|---|---|---|
| 71501-21 | 70x400 mm | | √ | Rigid |
| 71501-22 | 70x400 mm | √ | | Rigid |
| 71503-21 | 70x420 mm | | √ | Rigid |
| 71503-22 | 70x420 mm | √ | | Rigid |



| Item No. | Size | Velcro | PSA | Flexibility |
|---|---|---|---|---|
| 71612-12 | 67x400 mm | | √ | Rigid |
| 71612-22 | 67x400 mm | √ | | Rigid |



PUR Moulded flexible hand file



| Item No. | Size | Velcro | PSA | Flexibility |
|---|---|---|---|---|
| 71510-1 | 71x440 mm | | √ | Flexible |
| 71510-2 | 71x440 mm | √ | | Flexible |





## Technical Specs :

Grain: Aluminum Oxide with Zirconia
Backing: Latex Paper
Bonding: Resin/Resin
Coating: super coating
Grit: 40-800

## Features :

- Good and fast cutting performance
- Fine finish and less shelling
- Anti-clogging and minimize dust
- High durability and longer lifespan
- Cost effective

# Paper Gold



## Technical Specs :

Grain: Aluminum Oxide with Zirconia
Backing: Film
Bonding: Resin/Resin
Coating: Super Coating
Grit: 40-2000

## Features :

- Excellent cutting performance
- Special coating makes even surface
- Fine finish and less shelling
- Edge won't break easily during sanding
- Wet & dry sanding available
- High durability and longer lifespan

# Green Film



## 型号: LD-98A plus

| | |
|---|---|
| 气压需求 | 6.1Kg/cm²以上 |
| 功耗 | 1200 W ± 10% |
| 负压 | 2100 mm /H² |
| 容量 | 36L |
| 风量 | 2.5m³/min |
| 电压适用 | 220-240V/60HZ |
| 规格 | 70×59×90cm |
| 重量 | 53kg |



















吸尘器采用铜芯1200W电机
高精密滤芯双层过滤
吸尘袋双密封，可重复使用

| 工具车 Tool vehicle | 集尘桶 Vacuum bucket | 伺服系统 Servo System | 5mm研磨机 6-inch dry mill | 二合一吸尘软管 2-in-1 hose | 三通套件 Tee fitting | 研磨砂纸 Gray sandpaper | 70×198吸尘手刨 vacuum hand planer with a tube | 6寸手磨板 6-inch hand grinding block | 滤芯 filter core | 吸尘袋 Vacuum bag |
|---|---|---|---|---|---|---|---|---|---|---|
| 1台 | 1套 | 1套 | 6寸多孔1台 | 1套 | 1套 | 60张 | 1套 | 1个 | 1个 | 1个 |
|  |  |  |  |  |  |  |  |  |  |  |




## 型号: LD-98B plus

| | |
|---|---|
| 气压需求 | 6.1Kg/cm²以上 |
| 功耗 | 1300 W ± 10% |
| 负压 | 2100 mm /H² |
| 容量 | 36L |
| 风量 | 2.5m³/min |
| 电压适用 | 220-240V/60HZ |
| 规格 | 73×54×95cm |
| 重量 | 64kg |



吸尘器采用铜芯1300W电机
高精密滤芯双层过滤
吸尘袋双密封，可重复使用

| 托盘保护垫 Pallet protection pad | 托盘缓冲垫 Hand grinding block | 70×198吸尘手刨 vacuum hand planer with a tube | 6寸手磨板 6-inch hand grinding block | 滤芯 filter core | 吸尘袋 Vacuum bag |
|---|---|---|---|---|---|
| 1个 | 1个 | 1套 | 1个 | 1个 | 1个 |
|  |  |  |  |  |  |


| 工具车 Tool vehicle | 集尘桶 Vacuum bucket | 伺服系统 Servo System | 5mm研磨机 6-inch dry mill | 3mm研磨机 6-inch dry mill | 二合一吸尘软管 2-in-1 hose | 三通套件 Tee fitting | 研磨砂纸 Gray sandpaper |
|---|---|---|---|---|---|---|---|
| 1台 | 1套 | 1套 | 6寸多孔1台 | 6寸多孔1台 | 1套 | 1套 | 100张 |
|  |  |  |  |  |  |  |  |

# Superior Dust-Free Dust Extractor



## 型号: LD-98C plus

| | |
|---|---|
| 气压需求 | 6.1Kg/cm²以上 |
| 功耗 | 1300 W ± 10% |
| 负压 | 2100 mm /H² |
| 容量 | 36L |
| 风量 | 2.5m³/min |
| 电压适用 | 220-240V/60HZ |
| 规格 | 83×52.5×92cm |
| 重量 | 62kg |



吸尘器采用铜芯1300W电机
高精密滤芯双层过滤
吸尘袋双密封, 可重复使用

| 工具车 Tool vehicle | 集尘桶 Vacuum bucket | 伺服系统 Servo System | 5mm研磨机 6-inch dry mill | 3mm研磨机 6-inch dry mill | 方形研磨机 Square grinding | 托盘保护垫 Pallet protection pad | 托盘缓冲垫 Hand grinding block | 托盘缓冲垫 Hand grinding block | 二合一集尘软管 2-in-1 hose | 三通套件 Tee fitting | 研磨砂纸 Gray sandpaper | 70×198吸尘手刨 | 6寸手磨板 6-inch hand grinding block | 滤芯 filter core | 吸尘袋 Vacuum bag |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1台 | 1套 | 1套 | 6寸多孔1台 | 6寸多孔1台 | 323孔位1台 | 1个 | 1个 | 1个 | 1套 | 1套 | 100张 | 1套 | 1个 | 1个 | 1个 |



## 型号: LD-98D plus

| | |
|---|---|
| 气压需求 | 6.1Kg/cm²以上 |
| 功耗 | 1300 W ± 10% |
| 负压 | 2100 mm /H² |
| 容量 | 36L |
| 风量 | 2.5m³/min |
| 电压适用 | 220-240V/60HZ |
| 规格 | 93×52.5×92cm |
| 重量 | 88kg |





吸尘器采用铜芯1300W电机
高精密滤芯双层过滤
吸尘袋双密封, 可重复使用

| 工具车 Tool vehicle | 集尘桶 Vacuum bucket | 伺服系统 Servo System | 5mm研磨机 6-inch dry mill | 3mm研磨机 6-inch dry mill | 方形研磨机 Square grinding | 点抛机 Point throwing machine | 研磨砂纸 Gray sandpaper | 滤芯 filter core |
|---|---|---|---|---|---|---|---|---|
| 1台 | 1套 | 1套 | 6寸多孔1台 | 6寸多孔1台 | | 1个 | 100张 | 1个 |

| 托盘保护垫 Pallet protection pad | 托盘缓冲垫 Hand grinding block | 6寸手磨板 6-inch hand grinding block | 70×125吸尘手刨 Vacuum hand planing | 碳粉指示剂 Toner Indicator | 70×198吸尘手刨 | 二合一集尘软管 2-in-1 hose | 三通套件 Tee fitting | 吸尘袋 Vacuum bag |
|---|---|---|---|---|---|---|---|---|
| 1个 | 1个 | 1个 | 1个 | 1个 | 1套 | 1套 | 1套 | 1个 |

# Superior Dust-Free Dust Extractor