Super

戰神 Super 速派 ®

Pandas™

PROFESSIONAL AIR TOOLS

專業制造氣動打磨工具



KB 東莞市凱保精密機械有限公司
Dongguan Kai Bao Precision Machinery Co., Ltd.

地址:广东省东莞市东城区牛山上山门村厂房
Add: Niushan Shangshanmen Village,Dongcheng District, Dongguan City,Guangdong Province,China.
Tel:+0086-769-23053681 23053689
Fax:+0086-769-23053683
Mobile phone:+8615916902784
E-mail:sales@kaibaotools.com
Http://www.kaibaotool.com
Http://www.kaibaotools.com

企業二維碼

藝鼎設計印刷 13929468809

KB 東莞市凱保精密機械有限公司
Dongguan Kai Bao Precision Machinery Co., Ltd.

戰神 Super 速派

KB



公司概述

東莞市凱保精密機械有限公司成立于2006年，主要生產氣動打磨機，抛光機，刻磨機以及打磨托盤。目前我們公司廠房占地3500平方米，擁有裝配員工56人，開發技術人員8人。同時我們擁有自己的4軸加工設備，CNC車床，CNC磨床，銑床，綫切割機器，3D檢測儀，投影儀，硬度測試儀以及一系列精密測量工具等。

在我們嚴格的ISO管理體系下，我們經驗豐富的員工（都擁有5年以上機加工經驗）能够很好地把產品的質量和精密性做到極致，因此我們的成品機器的質量也得到了很好保障并且運行極其穩定。我們所有的打磨機，刻磨機和托盤都通過了CE測試和SGS認證，在國内享有很好的口碑。

感謝世界各地客户和好友的支持及肯定，我們會不斷創新與改進，在往世界第一的道路上努力奔跑。

公司宗旨：

務實、誠信、品質、服務、學習、創新。

發展觀：

先專業，再做强，后做大。

公司警言：

態度决定一切，細節决定成敗！

Company

Established in 2006, Dongguan Kai Bao Precision Machinery Co.,Ltd specializes in producing air sander, air grinder and sanding pad. Our factory covers an area of 3,500 square meters and owns 56 assembly employees and 8 R&D technicians. We have our own 4-spindle machining device, CNC lathe, CNC grinding machine, milling machine, wire cutting machine, 3D detecting instrument, projector and hardness testing device etc.

Together with our experienced workers and ISO management system, the quality and precision of our every spare part are guaranteed so that the quality of the whole finished product is guaranteed and stable. All of our air sanders, air grinders and sanding pads have already passed CE test and SGS test and they are quite well received in the world.

Thanks for the support from our dear customers and friends all over the world, we will keep moving forward and innovating to be No.1 in the world.

Company tenet:

Be pragmatic in work ; Honor credibility with customers; Produce quality products; Render great services; Keep learning and promote innovations.

Company views on development:

Be professional, be strong and grow big.

Company aphorism:

Attitudes define everything; Attention to details is the key of success!

CNC車間



CNC加工車間



評檢設備



二次投影儀









Professional Manufacturer of Air Sander
Air Polisher and Backing Pad

PNEUMATIC AIR ORBITAL SANDERS

- Brand *New* Type
- More Stable
- Lower Vibration



Applicable for surface finish of metal, furniture, alloy, glass fiber, laptop, mobile phone, automobile, plane and vessel etc.

KB DONGGUAN KAI BAO PRECISION MACHINERY CO., LTD.

Add: No.A factory Niushan Industrial Park Dongcheng District Dongguan City Guangdong Province China
Tel: +86-769-23053681 / +86-769-23053689 Fax: +86-769-23053683
Email: professionalairtools@yahoo.com kay.kaibao@foxmail.com
Web: http://www.kaibao88.com http://kaibaotools.en.made-in-china.com

Technical Specifications



Orbit 2.5



Orbit 5.0



Orbit 8.0



Model Number	Vacuum Style	Tool DIA.(mm)	Orbit DIA.(mm)	Sound Level (dBa)	Weight (Kg)	Speed (RPM)
PS-5500N	Non-Vacuum	125	5.0	80	0.90	12,000
PS-5500D	Self-Vacuum	125	5.0	80	0.92	12,000
PS-5500C	Central-Vacuum	125	5.0	80	0.92	12,000
PS-5800N	Non-Vacuum	125	8.0	80	0.90	12,000
PS-5800D	Self-Vacuum	125	8.0	80	0.92	12,000
PS-5800C	Central-Vacuum	125	8.0	80	0.92	12,000
PS-5250N	Non-Vacuum	125	2.5	80	0.90	12,000
PS-5250D	Self-Vacuum	125	2.5	80	0.92	12,000
PS-5250C	Central-Vacuum	125	2.5	80	0.92	12,000
PS-6500N	Non-Vacuum	150	5.0	80	0.93	10,000
PS-6500D	Self-Vacuum	150	5.0	80	0.95	10,000
PS-6500C	Central-Vacuum	150	5.0	80	0.95	10,000
PS-6800N	Non-Vacuum	150	8.0	80	0.95	10,000
PS-6800D	Self-Vacuum	150	8.0	80	0.97	10,000
PS-6800C	Central-Vacuum	150	8.0	80	0.97	10,000
PS-6250N	Non-Vacuum	150	2.5	80	0.93	10,000
PS-6250D	Self-Vacuum	150	2.5	80	0.95	10,000
PS-6250C	Central-Vacuum	150	2.5	80	0.95	10,000
PS-3500N	Non-Vacuum	75	5.0	80	0.83	12,000
PS-3500D	Self-Vacuum	75	5.0	80	0.85	12,000
PS-3500C	Central-Vacuum	75	5.0	80	0.85	12,000
PS-3250N	Non-Vacuum	75	2.5	80	0.83	12,000
PS-3250D	Self-Vacuum	75	2.5	80	0.85	12,000
PS-3250C	Central-Vacuum	75	2.5	80	0.85	12,000
PS-70198N	Non-Vacuum	70*198	3.0	80	1.08	10,000
PS-70198D	Self-Vacuum	70*198	3.0	80	1.10	10,000
PS-70198C	Central-Vacuum	70*198	3.0	80	1.10	10,000

Pandas

Professional Manufacturer of Air Sander
Air Grinder,Air Polisher and Backing Pad

⚡超大切削力打磨機
SUPER-HIGH POWER AIR SANDERS



- ★ 是高產量工業使用的理想選擇
  Best Choice for Industrial Sanding
- ★ 提高工作效率30%以上
  Over 30% Higher Efficiency
- ★ 降低人力成本
  Save Labor Cost
- ★ 節省能耗
  Save Energy&Production Cost





應用領域 Application

- 汽車、火車、船舶、電動車鈑金，鈑金原子灰研磨修面，羽狀邊研磨
- 木工家具、木門、實木櫥櫃等研磨
- 大型機械、鋁鑄造件、汽車輪廓五金鑄件的研磨

Auto,train,vessel,aircraft etc.
Wooden products like furniture
Machinery,aluminium product,car wheel etc..

特點 Features

- 高强度機身，更耐用
- 人體工學設計，手感更舒適
- 低震動，超强切削能力
- 獨特進氣系統，低氣壓氣動，動力更强

Stronger Sander Housing and More Durable
Ergonomic Design.Comfortable to Use
Low Vibration and Super High Power
Special Air Inlet System,Low Air Pressure Driven,
Higher Speed

EFFICIENCY-KING SERIES



PS-0023N



PS-0024N



PS-0025N



PS-0025C



PS-0025D



PS-0026N



PS-0026C



PS-0026D

機 型 Model No.	PS-0023N	PS-0024N	PS-0025N	PS-0025C	PS-0025D	PS-0026N	PS-0026C	PS-0026D
托盤規格 Pad Size	75mm	100mm	125mm	125mm	125mm	150mm	150mm	150mm
重量 Weight	770g	790g	830g	880g	890g	880g	930g	940g
耗氣量 Air Consumption	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa
功率 Power	320W	320W	320W	320W	320W	320W	320W	320W
轉速RPM Free Speed	14000RPM	14000RPM	14000RPM	14000RPM	14000RPM	14000RPM	14000RPM	14000RPM
偏心距 Orbit	5mm	5mm	5mm	5mm	5mm	5mm	5mm	5mm

Pandas

專業制造**自動化**打磨頭
Professional Manufacturer of Automatic Sander

Professional Manufacturer of Air Sander
Air Grinder,Air Polisher and Backing Pad

中心注水機專利產品
Central Water-Injection Sander




專利號：201821986967.1





5軸打磨設備



機械手打磨設備



傳統打磨工具
by normal sander

耗材中心
廢屑堆積
Accumulation of Dust in the Center of Abrasives

耗材壽命短，頻繁換耗材
Short Life of Abrasives

生產成本高
- 頻繁更換耗材浪費工時；
- 耗材用量大；
- 生產良率低；
- 大大浪費研磨液或水。

Production Cost Getting Higher



中心注水打磨工具
by center water-injection sander

耗材中心
部位幹净
Clean Abrasives

耗材壽命長，減少更換耗材次數
Longer Life of Abrasives

降低生產成本，提高效率
Production Cost Getting Lower. Efficiency Improved
- 減少更換耗材次數；
- 耗材壽命延長；
- 生產良率大大提高；
- 大量節省研磨液或水。


產品背面圖
Back




正面底部圖
Bottom



頂部圖
Top



安裝尺寸示意圖
Installation Instructions





機型 Model No.	ZD-5500W	ZD-4500W	ZD-3500W	ZD-75100W
托盤規格 Pad Size	125mm	100mm	75mm	75x100mm
重量 Weight	1150g	1130g	1120g	1000g
耗氣量 Air Consumption	340 l/min	340 l/min	340 l/min	340 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	80dBa	80dBa	80dBa	80dBa
功率 Power	240W	240W	240W	240W
轉速RPM Free Speed	12000rpm	12000rpm	12000rpm	10000rpm
偏心距 Orbit	5mm	5mm	5mm	3mm

Pandas

專業制造**自動化**打磨頭

Professional Manufacturer of Automatic Sander

自動化高端定制打磨工具ODM

Professional Automatic Sander(Customization Available)



專利號Patent Number:
ZL 201520302982.X



★ 專利產品 patented product



■ 功率大,抗壓强度高,使用壽命更長
Higher Power ,Stronger ,More Durable

■ 鋁合金外殼，機械手、五軸設備專用打磨頭
Aluminium-Alloy Housing. Special Sander for 5-Spindle Machining Device and Mechanical Arm

Professional Manufacturer of Air Sander
Air Grinder,Air Polisher and Backing Pad



ZD-4350



ZD-4375



ZD-4250



ZD-4275



ZD-5500ZB



ZD-4500ZB



ZD-3500ZB



ZD-75100ZB

機 型 Model No.	ZD-4350	ZD-4375	ZD-4250	ZD-4275	ZD-5500ZB	ZD-4500ZB	ZD-3500ZB	ZD-75100ZB
托盤規格 Pad Size	50mm	75mm	50mm	75mm	125mm	100mm	75mm	75x100mm
重量 Weight	700g	700g	700g	700g	1100g	1100g	1100g	1100g
耗氣量 Air Consumption	350 l/min	350 l/min	350 l/min	350 l/min	350 l/min	350 l/min	350 l/min	350 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa
功率 Power	240W	240W	240W	240W	240W	240W	240W	240W
轉速 Free Speed	2500rpm	2500rpm	15000rpm	15000rpm	12000rpm	12000rpm	12000rpm	10000rpm
偏心距 Orbit	同心 Concentric Rotation	同心 Concentric Rotation	3mm	3mm	5mm	5mm	5mm	3mm

Professional Manufacturer of Air Sander
Air Grinder,Air Polisher and Backing Pad

角磨機
Air Angle Grinder



PS-2C-1



PS-3C-1



PS-3C-2



PS-4CH-1



PS-4CH-2

刻磨機
Air Die Grinder



PS-13-2



PS-380



PS-26-20



PS-26-20L



PS-3H



PS-4H

機 型 Model No.	PS-2C-1	PS-3C-1	PS-3C-2	PS-4CH-1	PS-4CH-2
磨盤規格 Disc Size	50mm	75mm	100mm	100mm	125mm
重量 Weight	650g	660g	1100g	1800g	1800g
耗氣量 Air Consumption	456 l/min	456 l/min	670 l/min	920 l/min	920 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	7.0kg/cm²	7.0kg/cm²
噪音等級 Sound Level	80dBa	80dBa	80dBa	80dBa	80dBa
功率 Power	340W	340W	340W	550W	550W
轉速RPM Free Speed	15000rpm	15000rpm	13500rpm	13500rpm	13500rpm
長度 Length	155mm	155mm	180mm	215mm	215mm
高度 Height	47mm	47mm	63mm	77mm	77mm

機 型 Model No.	PS-13-2	PS-380	PS-26-20	PS-26-20L	PS-3H	PS-4H
夾頭規格 Chuck Size	3mm	6mm	6mm	6mm	6mm	125mm
重量 Weight	440g	500g	660g	900g	1380g	2100g
耗氣量 Air Consumption	450 l/min	450 l/min	450 l/min	450 l/min	550 l/min	1330 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	7.0kg/cm²	7.0kg/cm²	7.0kg/cm²
噪音等級 Sound Level	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa
功率 Power	140W	240W	240W	240W	520W	690W
轉速RPM Free Speed	30000rpm	22000rpm	24000rpm	24000rpm	14600rpm	9500rpm
長度 Length	150mm	155mm	170mm	300mm	345mm	385mm

戰神 Super 速派 ®

打磨工具采用先進的支撐結構，根據人體工學原理設計，手感舒適，選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structu re， high-performance motor set&d riving system and Ergonomic design make our sanders work more strongly and stably with low noise

KB0025



KB0026



KB0025C



KB0026C



KB0025D



KB0026D



機 型 Model No.	KB0025	KB0025C	KB0025D	KB0026	KB0026C	KB0026D
規格 Size	125mm	125mm	125mm	150mm	150mm	150mm
重量 Weight	690g	700g	1300g	690g	700g	1300g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm
偏心距 Orbit	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm
托盤 Pad Size	5",5/16"	5",5/16"	5",5/16"	6",5/16"	6",5/16"	6",5/16"
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum

KB2430



KB2450



KB2430C



KB2450C



KB2430D



KB2450D



機 型 Model No.	KB2430	KB2430C	KB2430D	KB2450	KB2450C	KB2450D
規格 Size	75x100mm	75x100mm	75x100mm	90x180mm	90x180mm	90x180mm
重量 Weight	690g	690g	690g	960g	960g	960g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm
偏心距 Orbit	3mm	3mm	3mm	3mm	3mm	3mm
托盤 Pad Size	75x100	75x100	75x100	90x180	90x180	90x180
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum

戰神 Super 速派 ®

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structu re， high-performance motor set&d riving system and Ergonomic design make our sanders work more strongly and stably with low noise.

KB0023



KB0024



KB0023C



KB0023D



機型 Model No.	KB0023	KB0023C	KB0023D	KB0024
規格 Size	75mm	75mm	75mm	100mm
重量 Weight	600g	600g	600g	690g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W
轉速RPM Free Speed	12000rpm	12000rpm	12000rpm	12000rpm
偏心距 Orbit	2.5,5mm	2.5,5mm	2.5,5mm	5mm
托盤 Pad Size	3",1/4"	3",1/4"	3",1/4"	4",5/16"
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央吸塵 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum

SA0025





SA0026





SA0025C





SA0026C





SA0025D





SA0026D





機型 Model No.	SA0025	SA0025C	SA0025D	SA0026	SA0026C	SA0026D
規格 Size	125mm	125mm	125mm	150mm	150mm	150mm
重量 Weight	790g	800g	1400g	800g	810g	1410g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm
偏心距 Orbit	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm
托盤 Pad Size	5",5/16"	5",5/16"	6",5/16"	6",5/16"	6",5/16"	6",5/16"
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum

戰神 Super 速派 ®

打磨工具采用先進的支撐結構，根據人體工學原理設計，手感舒適。
選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。
Solid supporting structu re， high-performance motor set&d riving system and Ergonomic design make our sanders work more strongly and stably with low noise.

ROS550NV



ROS650NV



ROS405CV



ROS405DV



ROS550CV



ROS650CV



ROS350NV



ROS350CV



ROS350DV



ROS550DV



ROS650DV



ROS343NV



ROS343CV



ROS343DV



機 型 Model No.	ROS550NV	ROS550CV	ROS550DV	ROS650NV	ROS650CV	ROS650DV
規格 Size	125mm	125mm	125mm	150mm	150mm	150mm
重量 Weight	690g	700g	1300g	690g	700g	1300g
耗氣量 Air Consumption	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	12000rpm	12000rpm	12000rpm	10000rpm	10000rpm	10000rpm
偏心距 Orbit	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm
托盤 Pad Size	5",5/16"	5",5/16"	5",5/16"	6",5/16"	6",5/16"	6",5/16"
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum

機 型 Model No.	ROS405CV	ROS405DV	ROS350NV	ROS350CV	ROS350DV	ROS343NV	ROS343CV	ROS343DV
托盤規格 Pad Size	三角90x130mm	三角90x130mm	75mm	75mm	75mm	75x100mm	75x100mm	75x100mm
重量 Weight	690g	690g	600g	600g	600g	690g	690g	690g
耗氣量 Air Consumption	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa
功率 Power	240W	240W	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	10000rpm	10000rpm	12000rpm	12000rpm	12000rpm	10000rpm	10000rpm	10000rpm
偏心距 Orbit	3mm	3mm	2.5,5mm	2.5,5mm	2.5,5mm	3mm	3mm	3mm
除塵系統 Vacuum Style	中央吸塵 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央吸塵 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum

戰神 Super 速派 ®

ROS383NV



ROS373NV



ROS383CV



ROS373CV



ROS383DV



ROS373DV



機型 Model No.	ROS383NV	ROS383CV	ROS383DV	ROS373NV	ROS373CV	ROS373DV
托盤規格 Pad Size	70x198mm	70x198mm	70x198mm	90x180mm	90x180mm	90x180mm
重量 Weight	960g	960g	960g	960g	960g	960g
耗氣量 Air Consumption	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min	340 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	80dBa	80dBa	80dBa	80dBa	80dBa	80dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm
偏心距 Orbit	3mm	3mm	3mm	3mm	3mm	3mm
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.

機型 Model No.	SB0023-R	SB0024-R	SB0025-R	SB0025C-R	SB0025D-R	SB0026-R	SB0026C-R	SB0026D-R
規格 Size	75mm	100mm	125mm	125mm	125mm	150mm	150mm	150mm
重量 Weight	600g	690g	690g	700g	1300g	690g	700g	1300g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm
偏心距 Orbit	2.5,5mm	5mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm
托盤 Pad Size	3",1/4"	4",5/16"	5",5/16"	5",5/16"	5",5/16"	6",5/16"	6",5/16"	6",5/16"
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	不吸塵 Non-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum



SB0023-R SB0024-R SB0025-R



SB0025C-R SB0025D-R



SB0026-R SB0026C-R SB0026D-R



Http://www.KaiBao88.com

Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!

機型 Model No.	SB2430-R	SB2430C-R	SB2430D-R	SB2450-R	SB2450C-R	SB2450D-R
規格 Size	75x100mm	75x100mm	75x100mm	90x180mm	90x180mm	90x180mm
重量 Weight	690g	690g	690g	960g	960g	960g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm
偏心距 Orbit	3mm	3mm	3mm	3mm	3mm	3mm
托盤 Pad Size	75x100	75x100	75x100	90x180	90x180	90x180
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum



SB2430-R SB2430C-R SB2430D-R



SB2450-R SB2450C-R SB2450D-R



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撑結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.

機型 Model No.	SB0023-B	SB0024-B	SB0025-B	SB0025C-B	SB0025D-B	SB0026-B	SB0026C-B	SB0026D-B
規格 Size	75mm	100mm	125mm	125mm	125mm	150mm	150mm	150mm
重量 Weight	600g	690g	690g	700g	1300g	690g	700g	1300g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm
偏心距 Orbit	2.5,5mm	5mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm	2.5,5,8mm
托盤 Pad Size	3",1/4"	4",5/16"	5",5/16"	5",5/16"	5",5/16"	6",5/16"	6",5/16"	6",5/16"
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	不吸塵 Non-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum



SB0023-B SB0024-B SB0025-B



SB0025C-B SB0025D-B



SB0026-B SB0026C-B SB0026D-B



Http://www.KaiBao88.com

Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!

機型 Model No.	SB2430-B	SB2430C-B	SB2430D-B	SB2450-B	SB2450C-B	SB2450D-B
規格 Size	75x100mm	75x100mm	75x100mm	90x180mm	90x180mm	90x180mm
重量 Weight	690g	690g	690g	960g	960g	960g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm
偏心距 Orbit	3mm	3mm	3mm	3mm	3mm	3mm
托盤 Pad Size	75x100	75x100	75x100	90x180	90x180	90x180
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum



SB2430-B SB2430C-B SB2430D-B



SB2450-B SB2450C-B SB2450D-B



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.

機型 Model No.	SA0035	SA0035C	SA0035D	SA0036	SA0036C	SA0036D
規格 Size	125mm	125mm	125mm	150mm	150mm	150mm
重量 Weight	790g	800g	1400g	800g	810g	1410g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm	12000rpm
偏心距 Orbit	2.5,5mm	2.5,5mm	2.5,5mm	2.5,5mm	2.5,5mm	2.5,5mm
托盤 Pad Size	5",5/16"	5",5/16"	6",5/16"	6",5/16"	6",5/16"	6",5/16"
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum



SA0035　SA0035C　SA0035D



SA0036　SA0036C　SA0036D



Http://www.KaiBao88.com

Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!

機型 Model No.	SA0045	SA0045C	SA0045D	SA0046	SA0046C	SA0046D
規格 Size	125mm	125mm	125mm	150mm	150mm	150mm
重量 Weight	790g	800g	1400g	800g	810g	1410g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm
偏心距 Orbit	2.5,5mm	2.5,5mm	2.5,5mm	2.5,5mm	2.5,5mm	2.5,5mm
托盤 Pad Size	5",5/16"	5",5/16"	6",5/16"	6",5/16"	6",5/16"	6",5/16"
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum



SA0045　SA0045C　SA0045D



SA0046　SA0046C　SA0046D



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.

機型 Model No.	SB0035	SB0035C	SB0035D	SB0036	SB0036C	SB0036D
規格 Size	125mm	125mm	125mm	150mm	150mm	150mm
重量 Weight	790g	800g	1400g	800g	810g	1410g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm
偏心距 Orbit	2.5/5mm	2.5/5mm	2.5/5mm	2.5/5mm	2.5/5mm	2.5/5mm
托盤 Pad Size	5",5/16"	5",5/16"	6",5/16"	6",5/16"	6",5/16"	6",5/16"
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum



SB0035　SB0035C　SB0035D



SB0036　SB0036C　SB0036D



Http://www.KaiBao88.com

Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!

機型 Model No.	SB0045	SB0045C	SB0045D	SB0046	SB0046C	SB0046D
規格 Size	125mm	125mm	125mm	150mm	150mm	150mm
重量 Weight	790g	800g	1400g	800g	810g	1410g
耗氣量 Air Consumption	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力 Working Pressure	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級 Sound Level	60dBa	60dBa	60dBa	60dBa	60dBa	60dBa
功率 Power	240W	240W	240W	240W	240W	240W
轉速RPM Free Speed	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm
偏心距 Orbit	5mm	5mm	5mm	5mm	5mm	5mm
托盤 Pad Size	5",5/16"	5",5/16"	6",5/16"	6",5/16"	6",5/16"	6",5/16"
除塵系統 Vacuum Style	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum	不吸塵 Non-Vacuum	中央集塵式 Central-Vacuum-Ready	自吸塵 Self-Generated-Vacuum



SB0045　SB0045C　SB0045D



SB0046　SB0046C　SB0046D



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.



KB-301
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-301D
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-311
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-311D
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-313
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-313D
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-303
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-303D
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-374
轉速Free Speed：10000RPM
重量Weight：0.91Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：73x140mm
另有AnotherPad:73x98mm
5寸Inch(123mm)



KB-374D
轉速Free Speed：10000RPM
重量Weight：0.91Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：73x140mm
另有AnotherPad:73x98mm
5寸Inch(123mm)



KB-813
轉速Free Speed：10000RPM
重量Weight：0.8Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：75x100mm



KB-814
轉速Free Speed：10000RPM
重量Weight：0.81Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：100x110mm



KB-815(三角形triangle)
轉速Free Speed：10000RPM
重量Weight：0.8Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：70x100mm



KB-816(三角形triangle)
轉速Free Speed：10000RPM
重量Weight：0.81Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：90x130mm



Http://www.KaiBao88.com

Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!



KB-321
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-321D
轉速Free Speed：10000RPM
重量Weight：1.1Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-323
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-323D
轉速Free Speed：10000RPM
重量Weight：0.9Kg
偏擺Orbit：5mm
底盤尺寸Pad Size：5"



KB-823
轉速Free Speed：10000RPM
重量Weight：0.8Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：75x100mm



KB-824
轉速Free Speed：10000RPM
重量Weight：0.81Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：100x110mm



KB-825(三角形triangle)
轉速Free Speed：10000RPM
重量Weight：0.8Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：70x100mm



KB-826(三角形triangle)
轉速Free Speed：10000RPM
重量Weight：0.81Kg
偏擺Orbit：3mm
底盤尺寸Pad Size：90x130mm

抛光機（橙色系列）

Polishing machine (orange series)




922抛光機polisher
轉速Free Speed：15000RPM
重量Weight：0.81Kg
同心concentric
底盤規格Pad Size：2"/3"



923抛光機(齒輪式)Polishing machine (gear)
轉速Free Speed：2500RPM
重量Weight：0.81Kg
同心concentric
底盤規格Pad Size：2"/3"



924抛光機(同心)polisher(concentric)
轉速Free Speed：15000RPM
重量Weight：0.7Kg
同心concentric
底盤規格Pad Size：2"/3"



925抛光機(同心)polisher(concentric)
轉速Free Speed：15000RPM
重量Weight：0.7Kg
同心concentric
底盤規格Pad Size：2"/3"



926抛光機(同心)polisher(concentric)
轉速Free Speed：15000RPM
重量Weight：0.7Kg
同心concentric
底盤規格Pad Size：2"/3"



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.

抛光機（紅色系列）
Polishing machine (red series)



KB-942
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：3mm
底盤規格Pad Size：2",3"(M6)



KB-943
轉速Free Speed：2500RPM
重量Weight：0.8Kg
偏擺Orbit：同心齒輪式Concentric gear
底盤規格Pad Size：2",3"(M8)



KB-946
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：3mm
橡膠盤Pad Size：2",3"(1/4牙tooth)



KB-843
轉速Free Speed：15000RPM
重量Weight：0.83Kg
偏擺Orbit：擺動式Swing
底盤規格：三角（大小孔）
Pad Size:Triangle (pore size)




KB-840
轉速Free Speed：15000RPM
重量Weight：0.83Kg
偏擺Orbit：擺動式Swing
底盤規格Pad Size：异形Profiled



KB-F30
轉速Free Speed：15000RPM
重量Weight：0.83Kg
偏擺Orbit：擺動式Swing
底盤規格Pad Size：异形Profiled



KB-944
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：同心concentric
底盤規格Pad Size：2",3"(1/4牙tooth)
杆長：35mm



KB-945
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：同心concentric
底盤規格Pad Size：2",3"(1/4牙tooth)
杆長Rod length：50mm



KB-3125
轉速Free Speed：7500RPM
重量Weight：0.4Kg
偏擺Orbit：3mm（振動式Swing）
底盤規格Pad Size：30mm



KB-7403
轉速Free Speed：3500RPM
重量Weight：0.88Kg
偏擺Orbit：同心齒輪式Concentric gear
底盤規格Pad Size：3"(1/4牙tooth)



KB-AF-5 氣動鋸/銼Pneumatic saw / file
往復速度Free Speed：3400spm
夾頭尺寸Chuck Size：5mm
重量Weight：0.75Kg
行程stroke：5mm



KB-AF-10
往復速度Free Speed：4800spm
夾頭尺寸Chuck Size：5mm
重量Weight：0.93Kg
行程stroke：10mm

7403价



Http://www.KaiBao88.com

Super 打磨工具適用于木工業、汽車業、電子業、鑄造業，是有效耐用的專業打磨工具。

Air sander is well received in the fields about woodworking,auto,electronics and casting etc. Efficient and durable!



KB-204
轉速Free Speed：8000RPM
重量Weight：2.1Kg
偏擺Orbit：5mm
底盤規格Pad Size：93x176mm



KB-204D
轉速Free Speed：8000RPM
重量Weight：2.1Kg
偏擺Orbit：5mm
底盤規格Pad Size：93x176mm



KB-205
轉速Free Speed：7000RPM
重量Weight：2.2Kg
偏擺Orbit：5mm
底盤規格Pad Size：112x220mm



KB-205D
轉速Free Speed：7000RPM
重量Weight：2.2Kg
偏擺Orbit：5mm
底盤規格Pad Size：112x220mm



KB-0502
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：3mm
底盤規格Pad Size：2",3"(M6)



KB-0503
轉速Free Speed：2500RPM
重量Weight：0.8Kg
偏擺Orbit：同心齒輪式Concentric gear
底盤規格Pad Size：2",3"(M8)



KB-0504
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：同心
底盤規格Pad Size：2",3"(1/4牙tooth)
杆長Rod length：35mm



KB-0505
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：同心concentric
底盤規格Pad Size：2",3"(1/4牙tooth)
杆長Rod length：50mm



KB-0506
轉速Free Speed：15000RPM
重量Weight：0.7Kg
偏擺Orbit：3mm
橡膠盤Pad Size：2",3"(1/4牙tooth)



KB-2130
轉速Free Speed：12000RPM
重量Weight：0.6Kg
偏擺Orbit：3/5mm
底盤規格Pad Size：3"(1/4牙tooth)



KB-2430
轉速Free Speed：10000RPM
重量Weight：0.7Kg
偏擺Orbit：3mm
底盤規格Pad Size：75X100mm



KB-2430D/2430C
轉速Free Speed：10000RPM
重量Weight：0.71Kg
偏擺Orbit：3mm
底盤規格Pad Size：75X100mm



KB-2450
轉速Free Speed：10000RPM
重量Weight：0.96Kg
偏擺Orbit：3mm
底盤規格Pad Size：90X180mm



KB-2450D/2450C
轉速Free Speed：10000RPM
重量Weight：0.96Kg
偏擺Orbit：3mm
底盤規格Pad Size：90X180mm



砂紙機制造

Http://www.hs-tools.net

月產能10000臺，品質穩定。遠銷歐美亞太地區。
歡迎**ODM&OEM**（可自由組合配件）。

機　型	SA0035	SA0036	SB0035	SB0045	RC0025
規格	125mm	150mm	125mm	125mm	125mm
重量	820g	820g	790g	790g	820g
耗氣量	480 l/min	480 l/min	480 l/min	480 l/min	480 l/min
工作壓力	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²	6.0kg/cm²
噪音等級	79dBa	79dBa	79dBa	79dBa	79dBa
功率	240W	240W	240W	240W	240W
轉速RPM	10000rpm	10000rpm	10000rpm	10000rpm	10000rpm
偏心距	5mm	6mm	5mm	5mm	5mm
托盤	5", 5/16"	6", 5/16"	5", 5/16"	5", 5/16"	5", 5/16"
除塵系統	不吸塵	不吸塵	不吸塵	不吸塵	不吸塵



SA0035　SA0036　SB0035　SB0045　RC0025(鐵轉子)



高級吸套件　普通吸套件　自吸塵連接配件　中央集塵連接配件






底盤制造

Http://www.hs-tools.net

月產能10萬片，發泡硬度從15-60度之間，平穩性好，
五金結構牢固，品質已達國際水平，歡迎**ODM&OEM**。



2", 5/16"　2", M6　2", M6内牙　3", 5/16"　3", M6　3", 5/16"　3", M6

5", 5/16"　5", 5/16" 5孔　5", 5/16" H15　5", 5/16"　6", 5/16"　6", 5/16" 6孔

2", M6　2", M6 3孔　3", 5/16"　4", 5/16"　5", 5/16" H15　5 ", 5/16" H15 5孔　5", 5/16"

5", 5/16" 6孔　5", 5/16" 5孔　6", 5/16" 6孔　6", 5/16"　5", 5/16" 多孔　6", 5/16" 多孔

2", 5/16"　3", 5/16"　3", M6　4", 5/16"　5", 5/16" 6孔　5", 5/16"　6", 5/16" 6孔



75X100mm　90X180mm (8孔)　90X180mm



100X110mm



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撑結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.





Http://www.KaiBao88.com

Super 打磨工具采用先進的支撑結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.



M0026C



3M0026C



3M0023C



M0023



G0026C












Gold Sand Paper



Film-Backing Sand Paper



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.



Air Impact Wrench Series



KB-Y15000

Air Sander




KB-Y2100

Roloc Air Grinder







150mm (6in) Sanding Backup Pad with Universal Adapters



Wool Buffing Pad



Soft Buffing Pad



Backing Pad



Roloc Rubber Pad



Erasing Wheel



Http://www.KaiBao88.com

Super 打磨工具采用先進的支撐結構。根據人體工學原理設計，手感舒適。選用進口材料，高性能馬達組及傳動系統，重心低、震動小、噪音小。

Solid supporting structure,high-performance motor set&driving system and ergonomic design make our sanders work more strongly and stably with low noise.



HS-1033
10x330mm



HS-2052
20x520mm



HS-3054
30x540mm



Air Line Sander



Air Belt Sander



7in Air Polisher



Air Pull Setter



Air Pencil Grinder



Air Lapping Tool



Torque Shut-Off Air Screwdriver



Air Angle Grinder



Hydraulic Air Riveter







VACUUM STYLE

Hand Sanding Block

With Holes



De-Nebbing Blocks



Item No.	Diameter	Velcro	PSA	Density	Remark
71112	30mm	√	√	Hard	



Item No.	Diameter	Velcro	PSA	Density	Remark
71115-1	24mm		√	Medium	
71116-1	30mm		√	Medium	
71117-1	34mm		√	Medium	

Round Disc Hand Pads



Item No.	Diameter	Velcro	PSA	Density	Remark
71130-1	3" (72.5mm)		√	Medium	no center hole, slight bigger size
71130-2	3" (72.5mm)	√		Medium	no center hole, slight bigger size
71131-1	3" (72.5mm)		√	Soft	with center hole for water storage
71131-2	3" (72.5mm)	√		Soft	with center hole for water storage



Item No.	Diameter	Velcro	PSA	Density	Remark
71132A-1	3" (72.5mm)		√	Soft	no center hole
71132A-2	3" (72.5mm)	√		Soft	no center hole
71132-1	3" (72.5mm)		√	Soft	with center hole for water storage
71132-2	3" (72.5mm)	√		Soft	with center hole for water storage



Item No.	Diameter	Velcro	PSA	Density	Remark
71135	3.5" (90mm)	√		Medium	
71150	5" (123mm)	√		Medium	



Item No.	Disc Size	Velcro	PSA	Density	Remark
71450-1	5"(125mm)		√	Medium	
71450-2	5"(125mm)	√		Medium	
71460-1	6"(150mm)		√	Medium	
71460-2	6"(150mm)	√		Medium	




Item No.	Disc Size	Velcro	PSA	Density	Remark
71001	5" (125mm)	√		Medium	
71002	6" (150mm)	√		Medium	



Item No.	Size	Velcro	PSA	Density	Remark
71235	66x140 mm	√		Medium	



Item No.	Size	Velcro	PSA	Density	Remark
71544-1	66 x 122 mm		√	Medium	
71544-2	66 x 122 mm	√		Medium	
71545-1	70 x 198 mm		√	Medium	With Reinforced flat base
71545-2	70 x 198 mm	√		Medium	With Reinforced flat base



Item No.	Size	Velcro	PSA	Density	Remark
71335-1	66 x 122 mm		√	Medium	
71335-2	66 x 122 mm	√		Medium	
71335S-2	66 x 122 mm	√		Soft	

Hand File for flat face sanding



Item No.	Size	Velcro	PSA	Flexibility
71501-21	70x400 mm		√	Rigid
71501-22	70x400 mm	√		Rigid
71503-21	70x420 mm		√	Rigid
71503-22	70x420 mm	√		Rigid



Item No.	Size	Velcro	PSA	Flexibility
71612-12	67x400 mm		√	Rigid
71612-22	67x400 mm	√		Rigid



PUR Moulded flexible hand file



Item No.	Size	Velcro	PSA	Flexibility
71510-1	71x440 mm		√	Flexible
71510-2	71x440 mm	√		Flexible





Technical Specs :

Grain: Aluminum Oxide with Zirconia
Backing: Latex Paper
Bonding: Resin/Resin
Coating: super coating
Grit: 40-800

Features :

- Good and fast cutting performance
- Fine finish and less shelling
- Anti-clogging and minimize dust
- High durability and longer lifespan
- Cost effective

Paper Gold



Technical Specs :

Grain: Aluminum Oxide with Zirconia
Backing: Film
Bonding: Resin/Resin
Coating: Super Coating
Grit: 40-2000

Features :

- Excellent cutting performance
- Special coating makes even surface
- Fine finish and less shelling
- Edge won't break easily during sanding
- Wet & dry sanding available
- High durability and longer lifespan

Green Film



型号: LD-98A plus

气压需求	6.1Kg/cm²以上
功耗	1200 W ± 10%
负压	2100 mm /H²
容量	36L
风量	2.5m³/min
电压适用	220-240V/60HZ
规格	70×59×90cm
重量	53kg



















吸尘器采用铜芯1200W电机
高精密滤芯双层过滤
吸尘袋双密封，可重复使用

工具车 Tool vehicle	集尘桶 Vacuum bucket	伺服系统 Servo System	5mm研磨机 6-inch dry mill	二合一集尘软管 2-in-1 hose	三通套件 Tee fitting	研磨砂纸 Gray sandpaper	70×198精尘手刨 vacuum hand planer with a tube	6寸手磨板 6-inch hand grinding block	滤芯 filter core	吸尘袋 Vacuum bag
1台	1套	1套	6寸多孔1台	1套	1套	60张	1套	1个	1个	1个



型号: LD-98B plus


气压需求	6.1Kg/cm²以上
功耗	1300 W ± 10%
负压	2100 mm /H²
容量	36L
风量	2.5m³/min
电压适用	220-240V/60HZ
规格	73×54×95cm
重量	64kg





吸尘器采用铜芯1300W电机
高精密滤芯双层过滤
吸尘袋双密封，可重复使用

托盘保护垫 Pallet protection pad	托盘缓冲垫 Hand-grinding block	70×198精尘手刨 vacuum hand planer with a tube	6寸手磨板 6-inch hand grinding block	滤芯 filter core	吸尘袋 Vacuum bag
1个	1个	1套	1个	1个	1个



工具车 Tool vehicle	集尘桶 Vacuum bucket	伺服系统 Servo System	5mm研磨机 6-inch dry mill	3mm研磨机 6-inch dry mill	二合一集尘软管 2-in-1 hose	三通套件 Tee fitting	研磨砂纸 Gray sandpaper
1台	1套	1套	6寸多孔1台	6寸多孔1台	1套	1套	100张




Superior Dust-Free Dust Extractor



型号: LD-98C plus

气压需求	6.1Kg/cm²以上
功耗	1300 W ± 10%
负压	2100 mm /H²
容量	36L
风量	2.5m³/min
电压适用	220-240V/60Hz
规格	83×52.5×92cm
重量	62kg



吸尘器采用铜芯1300W电机
高精密滤芯双层过滤
吸尘袋双密封, 可重复使用

工具车 Tool vehicle	集尘桶 Vacuum bucket	伺服系统 Servo System	5mm研磨机 6-inch dry mill	3mm研磨机 6-inch dry mill	方形研磨机 Square grinding	托盘保护垫 Pallet protection pad	托盘缓冲垫 Hand grinding block	托盘缓冲垫 Hand grinding block	二合一集尘软管 2-in-1 hose	三通套件 Tee fitting	研磨砂纸 Gray sandpaper	70×198锯尘手锯	6寸手磨板 6-inch hand grinding block	滤芯 filter core	吸尘袋 Vacuum bag
1台	1套	1套	6寸多孔1台	6寸多孔1台	323孔位1台	1个	1个	1个	1套	1套	100张	1套	1个	1个	1个

型号: LD-98D plus

气压需求	6.1Kg/cm²以上
功耗	1300 W ± 10%
负压	2100 mm /H²
容量	36L
风量	2.5m³/min
电压适用	220-240V/60Hz
规格	93×52.5×92cm
重量	88kg





吸尘器采用铜芯1300W电机
高精密滤芯双层过滤
吸尘袋双密封, 可重复使用

工具车 Tool vehicle	集尘桶 Vacuum bucket	伺服系统 Servo System	5mm研磨机 6-inch dry mill	3mm研磨机 6-inch dry mill	方形研磨机 Square grinding	点射机 Paint throwing machine	研磨砂纸 Gray sandpaper	滤芯 filter core
1台	1套	1套	6寸多孔1台	6寸多孔1台		1个	100张	1个

托盘保护垫 Pallet protection pad	托盘缓冲垫 Hand grinding block	6寸手磨板 6-inch hand grinding block	70×125锯尘手锯 Vacuum hand planing	碳粉指示剂 Toner indicator	70×198锯尘手锯 Vacuum hand planing	二合一锯尘软管 2-in-1 hose	三通套件 Tee fitting	吸尘袋 Vacuum bag
1个	1个	1个	1个	1个	1套	1套	1套	1个

Superior Dust-Free Dust Extractor